| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|---|---------------------|---------|------------------|
| S77 | 2512 | bit adj line with diffusion and oxid\$6 and (nitride or ("Si.sub.3" adj "n.sub.4")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/15 12:05 |
| S78 | 1495 | S77 and CVD | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/15 12:06 |
| S79 | 1680 | S77 and (CVD or (chemical adj vapor)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/15 12:08 |
| S80 | 375 | S79 and CMOS | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/15 12:08 |
| S81 | 135 | S80 and high adj voltage | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/15 12:09 |
| S82 | 133 | S81 and word adj line | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/15 12:09 |
| S83 | 63 | S82 and (STI or (shallow adj trench)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/15 12:10 |
| S84 | 51 | S83 and low adj voltage | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/15 12:10 |

| ı | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S85 | 18 | S84 and thermal\$4 with oxidiz\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/15 12:13 |
| S86 | 11 | S85 and bit adj line with oxide | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/15 12:33 |
| S87 | 378 | diffusion adj bit adj line | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/15 12:24 |
| S88 | 53 | S87 with oxide | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/15 12:24 |
| S89 | 14 | S88 with nitride | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/15 12:28 |
| S90 | 249 | bit adj line adj oxide | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/15 12:33 |
| S91 | 80 | S80 and high adj voltage and low adj voltage | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/15 12:34 |
| S92 | 80 | S91 and (nitride or "ONO") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/15 12:34 |

| \$93 | 76 | S92 and CVD | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/15 12:35 |
|------|----|---------------------------------|---|----|----|------------------|
| S94 | 62 | S93 and thermal\$4 with oxid\$6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/15 12:35 |